

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

LXVII. Observation of the Transit of Mercury over the Sun, October 25, 1743.

In a Letter to Professor Bliss, late Astronomer Royal and F. R. S. from John Winthrop, F. R. S. Professor of Astronomy in Cambridge, New England.

REV. SIR,

Read at R. S. Nov. 10, 1763. IVE me leave to lay before you an observation of the transit of Mercury, 25 October, 1743; which, if I mistake not, will determine the longitude of Cambridge, New England, with more exactness than any of the observations that have been used for that purpose. I adjusted my clock by correspondent altitudes of the bright star of Aries, taken the night before the transit with a quadrant of two seet radius; and on the day of the transit, by correspondent altitudes of the Sun; all of which agreed within 5"; and allowed for the difference of the Sun's declination, morning and afternoon.

The morning was fair and calm, but hazy; notwithstanding which, I had a good view of the Planet, and with a 24 feet telescope observed that

At 8h 17' 5" & in his egress touched o's limb.
18' 58" went off intirely.

Vol. LIX. Ttt I could

## [ 506 ]

I could not be so certain of the moment when he left the Sun, as of his interior contact. For the Sun's limb, undulating in the vapours of the horizon, made it somewhat difficult to judge when the indenture, formed by the Planet upon it, intirely ceased. However, I believe this latter observation may be relied on to 4 or 5". The comparison of this observation with those made in Europe will, I presume, determine the difference of meridians within a few seconds of time.

I beg, Sir, you will excuse the freedom I have now taken, since it is in the cause of astronomy, and allow me to subscribe myself, with great respect,

Reverend Sir,

Your most obedient,

humble servant,

Cambridge, New England, 20 June, 1763.

John Winthrop.